
QNAP

QNAP TVS-672XT NAS Tower Intel® Core™ i3 i3-8100T 8 GB DDR4 HDD QNAP Turbo System Black

Brand : QNAP **Product code:** TVS-672XT-I3-8G/108TB-EXOS

Product name: TVS-672XT



- $\hbox{-} 5\hbox{-speed 10GBASE-T RJ45 connectivity accelerates virtualization applications and file sharing across teams and devices}\\$
- PCIe expandability allows for graphics cards or $40\text{GbE}/\ 25\text{GbE}/\ 10\text{GbE}$ adapters to increase application performance
- Install M.2 PCIe (Gen 3 x2, 2 GB/s) NVMe SSDs (sold separately) to set up caching or storage pools, improving file access efficiency
- 4K media playback and real-time transcoding; directly view creative works on an HDTV via HDMI 2.0 (4K @60Hz) output
- Snapshots fully record system status and data, allowing you to protect files and data from accidental deletion and malware attacks

Intel Core i3-8100T (4x 3.1GHz), 8GB DDR4, 5GB Flash, 6x 2.5"/3.5" SATA, 2x M.2, 1x 10G RJ-45, 2x 1G RJ-45, 1x USB Type-A 3.2 Gen1, 2x USB Type-C 3.2 Gen2, 2x USB Type-A 3.2 Gen2, 1x HDMI 2.0





Storage		Design	
Storage drive interface *	Serial ATA II, Serial ATA III M.2, Serial ATA II, Serial ATA III	Number of built-in speakers	1
Supported storage drive interfaces		Performance	
Storage drive sizes supported Number of M.2 (M & B) slots RAID support * RAID levels Online RAID migration Online RAID expansion RAID rebuild Hot-swap drive bays Supported file systems Storage drives installed * Number of storage drives installed * Number of storage drives supported * Installed storage drive type * Supported storage drive types * Auto-rebuild	2.5,3.5,M.2 2	Type * Device class * Backup function * Backup features Buzzer Multilingual support Noise level Snapshot Management protocols Web-based management Share folder access right management Security algorithms Access Control List (ACL) Reset button On/off switch	NAS Small & Medium Business Cloud, iSCSI LUN Sample Samp
Bad block scan	✓	Built-in iTunes server	✓
Disk roaming Processor	•	Built-in FTP server Browser supported	✓ Mozilla Firefox, Microsoft Edge, Google Chrome, Apple Safari
Processor manufacturer * Processor generation Processor family * Processor model * Processor frequency * Processor cores Processor threads	Intel 8th gen Intel® Core™ i3 Intel® Core™ i3 i3-8100T 3.1 GHz 4	System log Hot spare S.M.A.R.T. support Share folder Remotely operated Universal Plug and Play (UPnP)	CIFS/SMB
Processor cache	6 MB	Software	
Bus type Configurable TDP-down frequency CPU configuration (max) Number of processors supported	DMI3 2.4 GHz 1 1 Intel® UHD Graphics 630	Operating system installed * Operating system version Windows operating systems supported	QNAP Turbo System 4.4.0 ✓

Memory		Software	
Internal memory *	8 GB	Mac operating systems supported	✓
Internal memory type	DDR4	Power	
Maximum RAM supported Memory slots	32 GB 2	Power supply location	Built-in
Memory form factor	SO-DIMM	Power supply unit (PSU) capacity	250 W
Flash memory	5000 MB	Number of power supply units	1
Network		Power consumption (typical)	45.6 W
Ethernet LAN *	/	Power consumption (HDD standby) AC input voltage	26.52 W 100 - 240 V
Ethernet LAN data rates	100,1000,2500,5000,10000 Mbit/s	Fan voltage	12 V
Ethernet LAN data rate supported		Weight & dimensions	
(max)	10000 Mbit/s	Width *	264.3 mm
DHCP client	✓	Depth *	279.6 mm
DHCP server	✓	Height *	188.2 mm
Jumbo frames support	✓	Packaging content	
iSCSI support	✓	Cables included	AC, LAN (RJ-45)
Wake-on-LAN ready	✓	Power cables quantity	1
Link aggregation	✓	Processor special features	_
Load balancing system	✓		,
Dynamic DNS (DDNS)	✓	Embedded options available Enhanced Intel SpeedStep	✓
WLAN adapter supported	✓	Technology	✓
Ports & interfaces		Execute Disable Bit	✓
USB port *	✓	Idle States	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Intel 64	✓
ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-A		Intel Clear Video Technology	✓
ports quantity	2	Intel Enhanced Halt State	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Intel Identity Protection Technology version	1.00
HDMI ports quantity	1	Intel Secure Key Technology version	
HDMI version	2.0	Intel Stable Image Platform Program (SIPP)	×
Thunderbolt 3 ports quantity Ethernet LAN (RJ-45) ports *	3	Intel Stable Image Platform Program (SIPP) version	0.00
PCI Express x4 (Gen 3.x) slots	1	Intel Trusted Execution Technology	×
Design		Intel TSX-NI	×
Chassis type *	Tower	Intel TSX-NI version	0.00
Cooling type * Product colour	Active Black	Intel Virtualization Technology (VT-x)	✓
Number of fans Fan diameter	4 fan(s) 9.2 cm	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Fan diameter 2	6 cm	Intel VT-x with Extended Page Tables (EPT)	1
LED indicators	HDD, LAN, Status, USB	Operational conditions	
Built-in display	✓	Operating temperature (T-T)	0 - 40 °C
Display type	LCD	Operating temperature (1-1) Operating relative humidity (H-H)	5 - 95%
Cable lock slot	✓ Vancington	Storage temperature (T-T)	-20 - 70 °C
Cable lock slot type Built-in speaker(s)	Kensington	Storage relative humidity (H-H)	5 - 95%
built-iii Speakei (S)	•	-	

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.