## ONAP

QNAP TVS-h1688X-W1250-32G 168TB (Seagate Ironwolf Pro) 16-Bay TurboNAS (12 x 3.5 HDD + 4 x 2.5 SSD); SATA 6G; Intel Xeon W-1250 6 cores 12 threads 3.3 GHz (boost up to 4.7 GHz); 32GB DDR4 ECC RAM (max. 128GB); 4 x 2.5GbE; 2 x 10GBASE-T 10GbE; 2 x M.2 22 NAS Tower Intel® Xeon® QuTS hero Black



Brand: QNAP

Product code: TVS-H1688X-W1250-32G/168TB-IWP

**Product name :** TVS-h1688X-W1250-32G 168TB (Seagate Ironwolf Pro) 16-Bay TurboNAS (12 x 3.5 HDD + 4 x 2.5 SSD); SATA 6G; Intel Xeon W-1250 6 cores 12 threads 3.3 GHz (boost up to 4.7 GHz); 32GB DDR4 ECC RAM (max. 128GB); 4 x 2.5GbE; 2 x 10GBASE-T 10GbE; 2 x M.2 22

- Attain quad-port Thunderbolt  $^{\rm m}$  3 connectivity by installing two QXP-T32P expansion cards in the PCle Gen 3 x4 slots
- Two 10GBASE-T and four 2.5GbE LAN ports accelerate virtualization, intensive file access, large backup/restoration tasks, and media transfer
- PCIe slots allow for installing 5/10/25/40GbE adapters, QM2 cards, or graphics cards to increase application performance
- $^4$ K media playback and real-time transcoding; directly output videos to an HDMI display (up to  $^4$ K @30Hz)
- Supports virtual machines and containerized apps, centralized storage, backup, sharing, disaster recovery, and storage expansion
- Cloud storage gateways realize hybrid cloud applications by working with the cache space reserved on NAS to ensure low-latency data access to the cloud
- Intel Xeon W-1250 6-core (3.3 GHz), Intel UHD Graphics P630, 4 x Long-DIMM DDR4, LCD, 6x USB 3.2 Gen 2, HDMI, 550 W

Storage		Design	
Storage drive interface *	Serial ATA II, Serial ATA III	Cable lock slot	<b>✓</b>
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Cable lock slot type	Kensington
Storage drive sizes supported	2.5,3.5,M.2	Performance	
Number of M.2 (M & B) slots	2	Type *	NAS
RAID support *	✓	Backup function *	·
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	•	Cloud, USB drive, iSCSI LUN
Online RAID migration	✓	Backup features Buzzer	, ,
Online RAID expansion	✓		•
RAID rebuild	✓	Multilingual support	<b>~</b>
Hot-swap drive bays	<b>✓</b>	Noise level	25.8 dB
Supported file systems	FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4	Third-party support	<b>✓</b>
		Snapshot	✓
Storage drives installed *	✓	Management protocols	SNMP
Total installed storage capacity *	168 TB	Web-based management	✓
Number of storage drives supported *	16	Share folder access right management	✓
Supported storage drive types *	HDD & SSD	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SSH, SSL/TLS
Auto-rebuild	<b>✓</b>	Access Control List (ACL)	✓
Bad block scan	<b>✓</b>	Reset button	✓
Processor		On/off switch	<b>√</b>
Processor manufacturer *	Intel	Built-in BitTorrent client	
Processor family *	Intel® Xeon®	Built-in FTP server	,
Processor model *	W-1250	Built-III FTP Server	Coforii Coordo Charano Internet
Processor frequency *	3.3 GHz	Browser supported	Safari, Google Chrome, Internet Explorer, Mozilla Firefox
Processor boost frequency Processor cores	4.7 GHz 6	System log	✓
Processor threads	12	Hot spare	✓

Ducasasas		Daufaumana	
Processor	40.440	Performance	
Processor cache	12 MB	S.M.A.R.T. support	✓
CPU configuration (max) On-board graphics card model	1 Intel UHD Graphics P630	Universal Plug and Play (UPnP)	<b>✓</b>
	inter of the Graphiles F030	USB copy function	✓
Memory		Software	
Internal memory *	32 GB	Operating system installed *	QuTS hero
Internal memory type Maximum RAM supported	DDR4 128 GB	Operating system version	4.5.0
Memory slots	4	Windows operating systems	Windows 10, Windows 7, Windows 8
Memory form factor	UDIMM	supported	
ECC	<b>✓</b>	Linux operating systems supported	<b>V</b>
Flash memory	5000 MB	Mac operating systems supported	✓ Windows Server 2008 R2, Windows
Network		Server operating systems supported	Server 2012, Windows Server 2012
Ethernet LAN *	1	Server operating systems supported	R2, Windows Server 2016, Windows Server 2019
Ethernet LAN data rates	100,1000,2500,10000 Mbit/s	Other operating systems supported	
Ethernet LAN data rate supported		. 5,	•
(max)	10000 Mbit/s	Power	
DHCP client	<b>✓</b>	Power supply location	Built-in
DHCP server	<b>✓</b>	Power supply unit (PSU) capacity	550 W 97.492 W
Jumbo frames support	✓	Power consumption (typical)  Power consumption (sleep)	91.26 W
iSCSI support	✓	AC input voltage	100 - 240 V
Wake-on-LAN ready	✓	Fan voltage	12 V
Link aggregation	✓	Weight & dimensions	
Load balancing system	✓	Width *	369.9 mm
Dynamic DNS (DDNS)	✓	Depth *	319.8 mm
WLAN adapter supported	✓	Height *	303.8 mm
Ports & interfaces		Packaging content	
USB port *	✓	Cables included	AC, LAN (RJ-45)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	4	Power cables quantity	1
ports quantity	7	Number of screws	72
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Processor special features	
HDMI ports quantity	1	Embedded options available	×
HDMI version Ethernet LAN (RJ-45) ports *	1.4b 6	Enhanced Intel SpeedStep Technology	<b>✓</b>
PCI Express x4 (Gen 3.x) slots	2	Execute Disable Bit	✓
PCI Express x8 (Gen 3.x) slots	1	Idle States	<b>✓</b>
Design		Intel 64	✓
Chassis type *	Tower	Intel Clear Video Technology	✓
Cooling type *	Active	Intel Trusted Execution Technology	✓
Product colour	Black	Intel Virtualization Technology (VT-	/
Number of fans	5 fan(s)	x)	•
Fan diameter	8 cm	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Fan diameter 2	9.7 cm	Intel VT-x with Extended Page	,
LED indicators	HDD, LAN, Status, System, USB	Tables (EPT)	<b>✓</b>
Built-in display	✓ ICD	Operational conditions	
Display type	LCD	Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.