## QNAP

## QNAP QVP-63A NAS/storage server Tower Intel® Core™ i3 i3-8100T 16 GB DDR4 0 TB QVR Pro OS (QVP) Black

Brand : QNAP Product code: QVP-63A

**Product name:** QVP-63A

- Supports thousands of cameras from over 150 brands
- Monitor and manage cameras from Windows, Mac and mobile devices
- Add storage space to the QVP-63A by using QNAP expansion units

Intel Core i3-8100T, 16 GB DDR4, 5 GB, 6x 3.5", 2x M.2, 2x PCIe, USB 3.2, HDMI,  $188.2 \times 264.3 \times 279.6$  mm

QNAP QVP-63A. Type: NAS. Chassis type: Tower. Device class: Small & Medium Business. Processor family: Intel® Core™ i3, Processor model: i3-8100T, Processor frequency: 3.1 GHz. Internal memory: 16 GB, Internal memory type: DDR4. Total installed storage capacity: 0 TB. Operating system installed: QVR Pro OS (QVP)





Storage		Design	
•	0 GB	Number of built-in speakers	1
Supported storage drive interfaces	M.2, Serial ATA II, Serial ATA III	Performance	
Storage drive sizes supported Number of M.2 (M & B) slots RAID support * RAID levels Online RAID migration Online RAID expansion Hot-swap drive bays Supported file systems Storage drives installed * Total installed storage capacity *	2.5,3.5" 2  1,5,6,10,JBOD  4  ext4  X 0 TB	Type * Device class * Backup function * Backup features Buzzer Noise level Web-based management Security algorithms Reset button On/off switch	NAS Small & Medium Business  Cloud  23.8 dB  HTTPS, SSH
Number of storage drives supported *	6	System log	✓
Installed storage drive type * Supported storage drive types *	X HDD & SSD	Hot spare S.M.A.R.T. support	✓ ✓
Processor		USB copy function	✓
Processor manufacturer *	Intel 8th gen Intel® Core™ i3 Intel® Core™ i3	Software	
Processor generation Processor family *		Operating system installed *	QVR Pro OS (QVP)
Processor model * Processor frequency * Processor cores Bus type Configurable TDP-down frequency CPU configuration (max)	i3-8100T 3.1 GHz 4 DMI3 2.4 GHz 1	Power  Power supply location  Power supply unit (PSU) capacity  Number of power supply units  Power consumption (typical)  Power consumption (sleep)  AC input voltage	Built-in 250 W 1 45.6 W 26.52 W 100-240 V
Memory		Weight & dimensions	
Internal memory * 16 GB Internal memory type DDR4 Maximum RAM supported 32 GB Memory slots 2 Memory form factor SO-DIMM Flash memory 5000 MB	Width * Depth * Height * Weight Package weight	264.3 mm 279.6 mm 188.2 mm 6.55 kg 8.07 kg	
		Packaging content	
		Cables included	AC, LAN (RJ-45)

Network		Packaging content	
		Power cables quantity	1
Ethernet LAN *	1000 MI 11/2	Number of screws	56
Ethernet LAN data rates	1000 Mbit/s		30
DHCP server	✓	Processor special features	
Wake-on-LAN ready	<b>✓</b>	Embedded options available	✓
Supported network protocols	HTTP, HTTPS, TCP/IP, UDP, DHCP, Static IP, DNS, DDNS, UPnP, FTP, NTP, and SMTP	Enhanced Intel SpeedStep Technology	•
	Witt, and Shift	Execute Disable Bit	✓
Ports & interfaces		Idle States	✓
USB port *	✓	Intel 64	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Intel Clear Video Technology	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	_	Intel Enhanced Halt State	✓
ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C	2	Intel Identity Protection Technology version	1.00
ports quantity	2	Intel Secure Key Technology version	1.00
HDMI ports quantity	1	Intel Stable Image Platform Program	
HDMI version	2.0	(SIPP)	••
Ethernet LAN (RJ-45) ports *	2	Intel Stable Image Platform Program (SIPP) version	0.00
Audio in/out	1	Intel Trusted Execution Technology	×
PCI Express x4 (Gen 3.x) slots	1	Intel TSX-NI	×
Design		Intel TSX-NI version	0.00
Chassis type *	Tower	Intel Virtualization Technology (VT-	
Cooling type *	Active	x)	✓
Product colour	Black	Intel Virtualization Technology for Directed I/O (VT-d)	<b>✓</b>
Number of fans	4 fan(s)	Intel VT-x with Extended Page	
Fan diameter	9.2 cm	Tables (EPT)	✓
Fan diameter 2 LED indicators	6 cm	Operational conditions	
	HDD, LAN, Status, USB  ✓	Operating temperature (T-T)	0 - 40 °C
Built-in display Display type	LCD	Operating relative humidity (H-H)	5 - 95%
Built-in speaker(s)	<b>∠</b>	, , ,	
built-iii speakei (s)	•	Logistics data	0.474.44.00
		Harmonized System (HS) code	84714100



4713213518519

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.