
QNAP

QNAP TVS-672X-I3-8G/6TB-IW NAS/storage server Tower Intel® Core™ i3 i3-8100T 8 GB DDR4 HDD QNAP Turbo System Black

Brand: QNAP **Product code**: TVS-672X-I3-8G/6TB-IW

Product name: TVS-672X-I3-8G/6TB-IW



- Dual M.2 PCIe Gen 3 \times 2 NVMe SSD slots enable cache acceleration or SSD storage pools for improved performance
- PCIe expansion allows for 2.5/5/10/25GbE network cards, QM2 card, QXP storage expansion cards, or graphics cards
- 4K media playback and real-time transcoding; display multimedia content saved on the NAS via HDMI 2.0~(4K @60Hz) output
- Host multiple virtual machines and containers to run a wide range of applications and services
- A business-class backup center supporting backup/restore of cloud data and VMs (including Google™ Workspace, Microsoft 365®, VMware® and Hyper-V)

Intel Core i3-8100T (4x 3.1GHz), Intel UHD Graphics 630, 8GB DDR4, 5GB Flash, 6x 2.5"/3.5" SATA, 2x M.2, LAN, HDMI, USB, LCD





_			
Storage		Performance	
Storage drive interface *	Serial ATA II, Serial ATA III	Device class *	Small & Medium Business
Supported storage drive interfaces	M.2, Serial ATA II, Serial ATA III	Backup function *	✓
Storage drive sizes supported	2.5,3.5,M.2	Backup features	Cloud, USB drive, iSCSI LUN
Number of M.2 (M & B) slots	2	Buzzer	✓
RAID support *	1	Multilingual support	✓
RAID levels	0, 1, 5, 6, 10, 50, JBOD	Number of users	4096 user(s)
Online RAID migration	✓	Noise level	23.8 dB
Online RAID expansion	✓	Third-party support	✓
RAID rebuild	✓	Snapshot	✓
Hot-swap drive bays	1	Web-based management	✓
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Share folder access right management	✓
Storage drives installed * Total installed storage capacity *	✓ 6 TB	Security algorithms	256-bit AES, FIPS 140-2, HTTPS SNMPv2, SNMPv3, SSH, SSL/TLS TLS
Number of storage drives installed * Number of storage drives supported		Access Control List (ACL)	✓
*	6	Reset button	✓
Installed storage drive type *	HDD	On/off switch	✓
Supported storage drive types *	HDD & SSD	Built-in BitTorrent client	√
Bad block scan	✓	Built-in UPnP AV media server	1
Disk roaming	✓	Built-in FTP server	
Processor		Browser supported	Mozilla Firefox, Microsoft Edge, Google Chrome, Apple Safari
Processor manufacturer *	Intel	System log	✓
Processor generation Processor family *	8th gen Intel® Core™ i3 Intel® Core™ i3	Hot spare	✓
Processor model *	i3-8100T	Password authentication	,
Processor frequency *	3.1 GHz	Disk scan	·
Processor cores	4		•
Processor threads	4	S.M.A.R.T. support	v
Bus type	DMI3	Remotely operated	✓
Configurable TDP-down frequency	2.4 GHz	USB copy function	✓
CPU configuration (max)	1	Software	
Number of processors supported On-board graphics card model	1 Intel® UHD Graphics 630	Operating system installed * Operating system version	QNAP Turbo System 4.5.1

Mamaama		Coffugue	
Memory	0.00	Software	
Internal memory *	8 GB	Windows operating systems supported	Windows 10, Windows 7, Windows 8
Internal memory type Maximum RAM supported	DDR4 64 GB	Linux operating systems supported	✓
Memory slots	2	Mac operating systems supported	
Memory form factor	SO-DIMM		Windows Server 2008 R2, Windows
Flash memory	5000 MB	Server operating systems supported	Server 2012, Windows Server 2012
Network			R2, Windows Server 2016, Windows Server 2019
Ethernet LAN *	✓	Power	
Ethernet LAN data rates	100,1000,2500,5000,10000 Mbit/s	Power supply location	Built-in
Ethernet LAN data rate supported	10000 Mbit/s	Power supply unit (PSU) capacity	250 W
(max)	10000 Mbit/S	Number of power supply units	1
DHCP client	✓	Power consumption (typical)	45.6 W
DHCP server	✓	Power consumption (HDD standby)	26.52 W
Jumbo frames support	✓	AC input voltage	100 - 240 V
iSCSI support	✓	Fan voltage	12 V
Wake-on-LAN ready	V	Weight & dimensions	
Link aggregation	✓	Width *	264.3 mm
Load balancing system	✓	Depth *	279.6 mm
Dynamic DNS (DDNS)	✓	Height *	188.2 mm
WLAN adapter supported	✓	Packaging content	
Ports & interfaces		Cables included	AC, LAN (RJ-45)
USB port *	✓	Power cables quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Processor special features	
ports quantity	-	Embedded options available	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Enhanced Intel SpeedStep Technology	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Execute Disable Bit	✓
HDMI ports quantity	1	Idle States	✓
HDMI version	2.0	Intel 64	✓
Ethernet LAN (RJ-45) ports *	3	Intel Clear Video Technology	✓
PCI Express x4 (Gen 3.x) slots	1	Intel Enhanced Halt State	✓
Design	Tanna	Intel Identity Protection Technology version	1.00
Chassis type * Cooling type *	Tower Active	Intel Secure Key Technology version	
Product colour	Black	Intel Stable Image Platform Program (SIPP)	×
Number of fans Fan diameter	3 fan(s) 12 cm	Intel Stable Image Platform Program (SIPP) version	0.00
Fan diameter 2	6 cm	Intel Trusted Execution Technology	×
Drive bay locking	×	Intel TSX-NI	×
LED indicators	✓	Intel TSX-NI version	0.00
Built-in display	✓	Intel Virtualization Technology (VT-	/
Display type	LCD	X)	
Cable lock slot	✓	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Cable lock slot type	Kensington	Intel VT-x with Extended Page Tables (EPT)	✓
Performance Type *	NAS	Operational conditions	
i ype	CANI	Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C
		Storage relative humidity (H-H)	5 - 95%

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.