

128422 USB 3.2 Gen 2x2 C to C U plug Cable, 2.0m, Black, M/M, PD240W, 4K/60Hz, 20Gbps

Product Images





Short Description

- USB 3.2 Gen 2x2
- USB-C to C Male
- 20Gbps data transfer rate
- with E-mark Chipset
- Power Delivery support up to 48V/5A, Max. 240W
- Resolution: up to 4K@60 Hz
- Supports HDR
- Supports HDCP 2.2
- Supports DisplayPort Alt Mode 2.0
- With U plug angled
- Jacket: Premium braided Cotton mesh
- Double shielding for error-free data transfer
- Aluminum casing
- Resolution up to below (depending on the system and the connected hardware)

4k: 3840 x 2160 @ 60 Hz.

2k: 2560 x 1440 @ 144 Hz.

1080P: 1920 x 1200 @ 240 Hz.

Description

The Equip 128422 USB 3.2 Gen 2x2 C to C U Plug Cable is a high-performance, 2.0 meter long cable designed for superior data transfer and power delivery. With its sleek black design, this male-to-male cable supports up to 20Gbps data transfer rates, ensuring quick and efficient file transfers. It also supports 4K/60Hz video output, making it ideal for high-resolution displays. Additionally, the cable features Power Delivery (PD) 240W, allowing for fast and powerful charging of compatible devices. This versatile cable is perfect for users seeking robust connectivity solutions for both professional and personal use.

Additional Information

Color	Black
EAN	4015867237694
Model Number	128422
Angled Plug	Yes
Shielded	No
Connector 1	USB-C, male
Connector 2	USB-C, male
Approval and Compliance	CE , RoHS
Package Contents	USB 3.2 Gen 2x2 C to C U plug Cable, 2.0m
Cable length	2m
Cable Length	2.0m
Dimensions (W x D x H)	12.5 x 17 x 2000 mm
Product weight (kg)	0.079
USB Power Delivery (PD)	PD 3.1 (240W)
Conductor material	Copper
Jacket material	PVC
USB Version (Speed)	USB 3.2 Gen 2 (10/20Gbps)

