

626704 Cat.6A U/UTP Slim Patch Cable, 1.5m, Grey

Product Images



Upgrade & Clean up Rack
with 0.15m, 0.25m, 0.5m Cat.6A patch cable

0.15m x10

0.25m x10

0.5m x10

Ultra Slim
ideal for routing than standard Cat.6A cable

	standard 6.0mm		slim 2.8mm
	small spacing for fingers		large spacing for fingers
	less airflow		better airflow

Short Description

- 32/7 AWG
- Unshielded
- Ultra slim, 2.8 mm diameter
- 500MHz performance Bandwidth
- Transmission: 10Gbit
- Support for PoE, PoE+ (Power over Ethernet)
- Stranded bare copper conductor
- Molded boot with Strain relief
- RoHS compliant
- Low Smoke Zero Halogen (LSZH/LSOH)
- Compliant with ISO/IEC 11801 and EN 50173

Description

The Cat.6A U/UTP Slim Patch Cable is a high-performance networking solution designed for modern data centers, enterprise networks, and high-density installations. Featuring a slim, space-saving design with a reduced diameter (typically around 32AWG), this cable helps improve airflow and cable management in crowded racks or patch panels without compromising performance.

Engineered to support 10 Gigabit Ethernet and frequencies up to 500 MHz, the Cat.6A U/UTP Slim Patch Cable ensures fast, reliable data transmission with minimal crosstalk and signal loss. The unshielded twisted pair (U/UTP) construction provides excellent performance in low to moderate EMI environments, while the high-quality, stranded copper conductors offer durability and flexibility for frequent reconfigurations.

Additional Information

Angled Plug.	No
Shielded.	Yes
Shielding.	U/UTP
Connector 1.	RJ45 male
Connector 2.	RJ45 male
Cable Length.	1.5m
Dimensions (W x D x H).	11 x 15 x 1500 mm
Product weight (kg).	0.0182
Category.	Cat.6A
Conductor material.	Copper
Conductor size (AWG).	32AWG
Cable Jacket material.	LSZH
Approval and Compliance.	RoHS
Package Contents.	Cat.6A U/UTP Slim Patch Cable
Color.	Grey
EAN.	4015867241950
Model Number.	626704

