

# 626702 Cat.6A U/UTP Slim Patch Cable, 0.5m, Grey

## Product Images



**Upgrade & Clean up Rack**  
with 0.15m, 0.25m, 0.5m Cat.6A patch cable

**0.15m x10**

**0.25m x10**

**0.5m x10**

**Ultra Slim**  
ideal for routing than standard Cat.6A cable

standard 6.0mm	slim 2.8mm
small spacing for fingers	large spacing for fingers
less airflow	better airflow

## Short Description

---

- 32/7 AWG
- Unshielded
- Ultra slim, 2.8 mm diameter
- 500MHz performance Bandwidth
- Transmission: 10Gbit
- Support for PoE, PoE+ (Power over Ethernet)
- Stranded bare copper conductor
- Molded boot with Strain relief
- RoHS compliant
- Low Smoke Zero Halogen (LSZH/LSOH)
- Compliant with ISO/IEC 11801 and EN 50173

## Description

---

The Cat.6A U/UTP Slim Patch Cable is a high-performance networking solution designed for modern data centers, enterprise networks, and high-density installations. Featuring a slim, space-saving design with a reduced diameter (typically around 32AWG), this cable helps improve airflow and cable management in crowded racks or patch panels without compromising performance.

Engineered to support 10 Gigabit Ethernet and frequencies up to 500 MHz, the Cat.6A U/UTP Slim Patch Cable ensures fast, reliable data transmission with minimal crosstalk and signal loss. The unshielded twisted pair (U/UTP) construction provides excellent performance in low to moderate EMI environments, while the high-quality, stranded copper conductors offer durability and flexibility for frequent reconfigurations.

## Additional Information

---

Angled Plug.	No
Shielded.	Yes
Shielding.	U/UTP
Connector 1.	RJ45 male
Connector 2.	RJ45 male
Cable Length.	0.5m
Dimensions (W x D x H).	11 x 15 x 500 mm
Product weight (kg).	0.0072
Category.	Cat.6A
Conductor material.	Copper
Conductor size (AWG).	32AWG
Cable Jacket material.	LSZH
Approval and Compliance.	RoHS
Package Contents.	Cat.6A U/UTP Slim Patch Cable
Color.	Grey
EAN.	4015867241936
Model Number.	626702

