

128428 USB 3.2 Gen 2x2 C to C Cable, 3.0m, PD240W, 4K/60Hz, 20Gbps, Black

Product Images





Short Description

- USB 3.2 Gen 2x2
- USB-C to C Male
- 20Gbps data transfer rate
- with E-mark Chipset
- Power Delivery support up to 48V/5A, Max. 240W
- Resolution: up to 4K@60 Hz
- Supports HDR
- Supports HDCP 2.2
- Support DP Alt Mode
- Jacket: Premium braided Cotton mesh
- Double shielding for error-free data transfer
- Aluminum casing
- Resolution up to below (depending on the system and the connected hardware)

4k: 3840 x 2160 @ 60 Hz.

2k: 2560 x 1440 @ 144 Hz.

1080P: 1920 x 1200 @ 240 Hz.

Description

The Equip 128428 USB 3.2 Gen 2x2 C to C Cable is a high-performance, designed for superior data transfer and power delivery. With its sleek black design, this male-to-male cable supports up to 20Gbps data transfer rates, ensuring quick and efficient file transfers.

It's supports 4K/60Hz video output, making it ideal for high-resolution displays. Additionally, the cable features Power Delivery (PD) 240W, allowing for fast and powerful charging of compatible devices. This versatile cable is perfect for users seeking robust connectivity solutions for both professional and personal use.

Additional Information

Color.	Black
EAN.	4015867242438
Model Number.	128428
Angled Plug.	No
Shielded.	No
Connector 1.	USB-C, male
Connector 2.	USB-C, male
USB Power Delivery (PD).	240W
Conductor material.	Copper
Data Rate.	20Gbps
Cable Jacket material.	PVC
Standards.	USB 3.2 Gen 2
Cable Length.	3m
Dimensions (W x D x H).	12.3 x 8 x 3000 mm
Product weight (kg).	0.094
Approval and Compliance.	CE , RoHS
Package Contents.	USB 3.2 Gen 2x2 C to C Cable, 3.0m

