


650112 17"-32" Articulating Monitor Desk Mount Bracket

Product Images





Short Description

- Mounting Option: Clamp/Grommet
- Screen Rotation: 360°
- Max. VESA: 100x100
- Max. Load Capacity: 9Kg
- Sturdy and lightweight aluminum construction
- Gas spring structure offers perfect counterbalance presentation in all directions
- Built-in spring tension gauge can be easily adjusted to fit varied weights on the arm
- VESA standards compliant: 75 x 75mm and 100 x 100mm
- Tool-free height adjustment
- Integrated cable management system

Description

The equip® is 17"-32" Articulating Monitor Desk Mount Bracket with Gas Spring Structure is a versatile and ergonomic solution designed to enhance your workspace. This mount is crafted to securely hold and adjust flat-panel monitors within the 17 to 32-inch size range. Its standout feature is the integrated gas spring mechanism, which enables effortless height adjustment and smooth tilting and swiveling of the monitor. This ensures optimal viewing angles, reducing neck and eye strain.

The bracket is easy to install and clamps onto your desk, saving valuable workspace. Its articulating arms provide a wide range of motion, allowing you to position your monitor at the perfect height and angle for your needs. The gas spring structure adds a level of flexibility and precision to monitor positioning, enhancing comfort and productivity. With its durable construction and sleek design, this bracket is an excellent choice for creating a more ergonomic and organized workstation.

Additional Information

Harmonized System (HS) code.	852990
Customs product code (TARIC).	8529909700
Color.	Silver
EAN.	4015867224045
Model Number.	650112
Cable management.	Yes
Pipe Size (Pole height).	325mm
Quick Installation VESA Plate.	Yes
Arm Full Extension.	562mm
Installation.	Grommet, Clamp
Load Capacity (kg).	9
Material.	Plastic, Aluminum
Mount.	Desk mount
Pan (Swivel) range.	+90° ~ -90°
Screen Rotation.	+180° ~ -180°
Screens support quantity.	1
Support Curved TV (Monitors).	Yes
Tilt range.	+90° ~ -90°
VESA compatibility.	75x75, 100x100
Dimensions (W x D x H).	820 x 627 x 115 mm
Product weight (kg).	5.05
Approval and Compliance.	RoHS
Package Contents.	650112 Manual screws kits

