

650813 ERGO Electric Sit- Stand Desk Frame, Grey, Dual Motor

Product Images



Versatile Control Panel



18W USB-C Charging Port
for handy charging

- 3 Memory Settings
- Time Reminder
- CM/INCH Conversion
- Adjustable Collision Sensitivity
- Child Safety Lock




Gyro-Current Collision Avoidance System
for precise detection of objects when moving up and down



Cable Clips Included
for clutter-free and safe under desk space



Dimensions (mm/inch)



Short Description

- Max. Load Capacity: 125Kg
- Height adjustable between 62 and 126 cm
- 3-Stage Dual Motors
 - Brushless motor: Consistent High Torque, Less Wear & Tear, Lower Noise
- Easy-to-use press controller makes height adjustment easy
- Thermal and overload protected
- Strong lifting power with low noise level
- Adjustable width fits a variety of desktop shapes and sizes
- Built-in Cable management
- Proprietary Gyro-current collision avoidance system
- With 1 x USB-C Charging port (Max 18W) on Control panel
- Desktop table is NOT included
- Desktop table suggestion size: L x W (1100~2000) x (700~900)mm
- Desktop table thickness suggestion 18mm
-

Description

The equip ERGO Electric Sit-Stand Desk Frame creates your own desk space that lets you stand up during the long workday with an electric height adjustable frame. Periodically standing throughout the day can help relieve tension on the neck, back, and shoulders, as well as increase blood flow and reduce stress. Enjoy being able to stand up in seconds with this sturdy frame featuring a dual motor lift system for smooth height transitions, telescopic height adjustment for ideal ergonomic viewing, touch control for customizable settings and convenience, and solid leg support for desk surfaces weighing up to 275 pounds (125Kg)

Additional Information

Control panel.	Yes
Approval and Compliance.	CE,ROHS
Operating temperature.	0°C ~ 45°C
Package Contents.	ERGO Electric Sit-Stand Desk Frame
Color.	Grey
Model Number.	650813
Dimensions (W x D x H).	1000-1700 x 600 x 620-1260 mm
Product weight (kg).	22.66
Cable management.	No
Height range.	620~1260mm
Load Capacity (kg).	125
Material.	Plastic, Stainless Steel, Aluminum
Motor.	2
Power input.	100~240V

