

112109 High Quality Power Cord, C13 to C14, 1.5m

Product Images



Male	Female	Connector	Max. Power
C6	C5		2.5A
C8	C7		2.5A
C14	C13		10A
C16	C15		10A
C20	C19		16A
CEE 7/7	CEE 7/3		16A



Short Description

- **Connectors:** IEC C13 to C14.
- **Length:** 1.5 m.
- **Cable:** H05VV-F 3G 3×0.75 mm².
- **Rating:** 250V / 10A, up to 2500W.
- **Compliance:** RoHS and REACH.
- **Approvals:** ENEC, VDE, and others.

Description

The equip® 112109 is a C13 to C14 power extension cord for connecting PDUs, UPS units, servers, and other rack equipment. The 1.5 m length suits cabinet and under-desk routing.

It uses H05VV-F 3G 3×0.75 mm² cable rated 250V / 10A (up to 2500W) for reliable power delivery to standard IEC C14 inlets, with molded connectors for a secure, durable fit.

It is RoHS and REACH compliant and carries ENEC, VDE, and other safety approvals for data-center and office use.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544429090
Connector 1.	IEC C14 Male
Connector 2.	IEC C13 Female
Color.	Black
EAN.	4015867244005
Model Number.	112109
Cable Length.	1.5m
Dimensions (W x D x H).	28 x 18 x 1500 mm
Product weight (kg).	0.158
Conductor material.	Copper
Approval and Compliance.	VDE,ROHS,REACH
Package Contents.	High Quality Power Cord, C13 to C14, 1.5m

